APPOTRONICS® ALPD® Cinema

ALPD® Smart Series Laser Light Source

Christie Platforms

INNOVATION DRIVING THE VISUAL WORLD

Any question, please feel free to contact us.
E-mail: ALPDCINEMA@appotronics.cn
Website: https://en.appotronics.com/ALPDcinema/

About ALPD® Smart Series Laser Light Source

ALPD® presents the next generation Smart series laser light source with the following key features:



Product images are for illustrative purposes only

- Over 43000 projectors worldwide currently use an ALPD® light source. That's 25% of the global market
- Extend the lifetime of your current projector with increased brightness
- Lower operating costs with a light source that is 2x more power efficient than lamps
- Reduce labor costs with a light source that does not need replacement
- Fully certified
- Flexible acquisition models: Lease or Purchase

SPECIFICATIONS

Product Model	S10-C2308	S10-C221X	S15-C221X
Light Output (typical)	10000		15000
Projector Colour Gamut Standard	DCI-P3		
Laser Light Source Lifetime	30,000 hrs, (20% decay)		
Power Requirements	single phase 200~240V		
Power Consumption	948W		1242W
Operation Ambient Temperature / Air Humidity	10-35°C, 10%-85% RH		
Cooling Technology	Air Cooling		
Dimensions Package (L×W×H)	770×450×475mm		
Weight in Package	35KG		
Communication	RJ45 Internet port		
Adapting Projector Model	CP2208 / 2308 Solaria One	CP2210 / CP2215	

For the most current specification information, please contact us.

E-mail: ALPDCINEMA@appotronics.cn

Website: https://en.appotronics.com/ALPDcinema/

INNOVATION DRIVING THE VISUAL WORLD

SPECIFICATIONS

Product Model	S20-C2220	S25-C2220	S35-C2230
Light Output (typical)	20000	25000	35000
Projector Colour Gamut Standard	DCI-P3		
Laser Light Source Lifetime	30,000 hrs, (20% decay)		
Power Requirements	single phase 200~240V		
Power Consumption	1580W	1970W	3100W
Operation Ambient Temperature / Air Humidity	10-35°C, 10%-85% RH		
Cooling Technology	Air Cooling		
Dimensions Package (L×W×H)	880×750×410mm		1130×440×690mm
Weight in Package	40.6KG		67.8KG
Communication	RJ45 Internet port		
Adapting Projector Model	CP2220 / 4220		CP2230 / 4230

For the most current specification information, please contact us.

E-mail: ALPDCINEMA@appotronics.cn

Website: https://en.appotronics.com/ALPDcinema/

INNOVATION DRIVING THE VISUAL WORLD



INNOVATION DRIVING THE VISUAL WORLD

Any question, please feel free to contact us.
E-mail: ALPDCINEMA@appotronics.cn
Website: https://en.appotronics.com/ALPDcinema/